

**TABLE OF
CONTENTS**

BSE Interim Final Rule References

26. Brown, P., R.G. Will, R. Bradley, D.M. Asher, and L. Detwiler. 2001. Bovine spongiform encephalopathy and variant Creutzfeldt-Jakob disease: Background, evolution, and current concerns. *Emerging Infect. Dis.* 7 (1): 6-16.
27. Scientific Steering Committee, European Commission. 1999. Opinion of the Scientific Steering Committee on the Human Exposure Risk (HER) via food with respect to BSE. Accessed online at
http://europa.eu.int/comm/food/fs/bse/scientific_advice08_en.html.
28. Brown, P. 2001. Bovine spongiform encephalopathy and variant Creutzfeldt-Jakob disease. *Brit. Med. J.* 322: 841-44.
29. Harvard Center for Risk Analysis, Harvard School of Public Health. 2003. Evaluation of the potential for bovine spongiform encephalopathy in the United States. Accessed online at <http://www.hcra.harvard.edu/pdf/madcow.pdf>.
30. Harvard Center for Risk Analysis, Harvard School of Public Health. 2003. Evaluation of the potential spread of BSE in cattle and possible human exposure following introduction of infectivity into the United States from Canada. Accessed online at
http://www.aphis.usda.gov/lpa/issues/bse/harvard_10-3/text_wrefs.pdf.
31. Scientific Steering Committee, European Commission. 2002. Update on the opinion of TSE infectivity distribution in ruminant tissues. Initially adopted by the Scientific Steering Committee at its meeting of 10-11 January 2002 and amended at its meeting of 7-8 November 2002 following the submission of (1) a risk assessment by the German Federal Ministry of Consumer Protection, Food and Agriculture and (2) new

scientific evidence regarding BSE infectivity distribution in tonsils. Accessed online at http://europa.eu.int/comm/food/fs/bse/scientific_advice08_en.html.

32. Dealler, S.F. and R.W. Lacey. 1990. Transmissible spongiform encephalopathies: The threat of BSE to man. *Food Micro.* 7: 253-279.
33. Kimberlin, R.H. 1993. Bovine spongiform encephalopathy: An appraisal of the current epidemic in the United Kingdom. *Intervirology* 35: 208-218.
34. Health and Consumer Protection Directorate-General, European Commission. 2003. Report on the monitoring and testing of ruminants for the presence of transmissible spongiform encephalopathy (TSE) in 2002. Accessed online at http://europa.eu.int/comm/food/food/biosafety/bse/annual_report_2002_en.pdf.
35. Doherr, M.G., D. Heim, R. Fatzer, C.H. Cohen, M. Vandeveld, and A. Zurbriggen. 2001. Targeted screening of high-risk cattle populations for BSE to augment mandatory reporting of clinical suspects. *Prev. Vet. Med.* 51: 3-16.
36. Lasmezas, C.I., J-P. Deslys, O. Robain, A. Jaegly, V. Beringue, J-M. Peyrin, J-G. Fournier, J-J. Hauw, J. Rossier, and D. Dormont. 1997. Transmission of the BSE agent to mice in the absence of detectable abnormal prion protein. *Science* 275: 402-405.
37. Race, R., A. Raines, G.J. Raymond, B. Caughey, and B. Chesebro. 2001. Long-term subclinical carrier state precedes scrapie replication and adaptation in a resistant species: Analogies to bovine spongiform encephalopathy and variant Creutzfeldt-Jakob disease in humans. *J. Virol.* 75 (21): 10106-112.
38. Fraser, J.R. 1996. Infectivity in extraneuronal tissues following intraocular scrapie infection. *J. Gen. Virol.* 77: 2663-68.
39. Scott, J.R., J. D. Foster and H. Fraser. 1993. Conjunctival instillation of

scrapie in mice can produce disease. *Vet Microbiol* 34 (4): 305-309.

40. Klitzman R.L., M.P. Alpers, and D.C. Gajdusek. 1984. The natural incubation period of kuru and the episodes of transmission in three clusters of patients.

Neuroepidemiology 3 (1): 3-20.

41. Taylor, D.M., I. McConnell, and H. Fraser. 1996. Scrapie infection can be established readily through skin scarification in immunocompetent but not immunodeficient mice. *J. Gen. Virol.* 77: 1595-99.

42. Ingrosso, L., F. Pisani, and M. Pocchiari. 1999. Transmission of the 263K scrapie strain by the dental route. *J. Gen. Virol.* 80: 3043-47.

43. Pammer, J., W. Weninger, and E. Tschachler. 1998. Human keratinocytes express cellular prion-related protein in vitro and during inflammatory skin diseases. *Am. J. Pathol.* 153: 1353-58.

44. Sugaya, M., K. Nakamura, T. Watanabe, A. Asahina, N. Yasaka, Y. Koyama, M. Kusubata, Y. Ushiki, K. Kimura, A. Morooka, S. Irie, T. Yokoyama, K. Inoue, S. Itohara, and K. Tamaki. 2002. Expression of cellular prion-related protein by murine Langerhans cells and keratinocytes. *J. Dermato. Sci.* 28: 126-134.

45. Taylor, D.M., S.L. Woodgate, and M.J. Atkinson. 1995. Inactivation of the bovine spongiform encephalopathy agent by rendering procedures. *Vet. Rec.* 137: 605-10.

46. Taylor, D.M., S.L. Woodgate, A.J. Fleetwood, and R.J.G. Cawthorne. 1997. The effect of rendering procedures on scrapie agent. *Vet Rec* 141: 643-49.